



AIR COMPRESSOR BRACKET ENGINE BAY

TLR682101



SUITED TO:

TOYOTA PRADO 150 SERIES



PRE-INSTALLATION



Read through this installation guide before proceeding.



Fitting time is approx. 30 minutes.



Allen key set
Spanner
Socket Set

FITTING KIT	
QUANTITY	PART
1	TLR682101
2	M8 Nyloc Nut
2	M8 x 24 mm Flat Washer
1	M6 x 20 mm Hex Head Bolt
1	M6 Flat Washer
1	M6 Spring Washer
1	Cable Ties 150 mm



NOTE:

This Air Compressor Bracket is design to suit fitment of an ARB Single Air Compressor and locates in the rear driver side area of the engine bay of a Toyota Prado 150 series and has a mounting hole location to suit a standard style carling rocker switch.



FITTING INSTRUCTIONS

1. Unclip two electrical harness clips from engine bay rear driver's side behind air box. **Photo 1**
2. Cable tie larger connector to electrical harness out of the way.
3. Mount ARB Single Compressor to bracket. **Photo 2**
4. Locate the assembled TLR Products Bracket over the 2 factory M8 studs
5. Fit 2 x M8 washers and Nyloc nuts. (leave loose)
6. Fit 1 M6 x 12 mm hex head bolt, flat washer and spring washer to the top hole.
7. Tighten all bolts & nuts.
8. Fit electrical switch to hole supplied




PHOTO 1



PHOTO 2



[instagram.com/tlrproducts](https://www.instagram.com/tlrproducts)
[facebook.com/tlrproducts](https://www.facebook.com/tlrproducts)



hello@tlrproducts.com.au
www.tlrproducts.com.au



TLR Products
65 Northville Drive
Barnsley NSW 2278