



BATTERY BOX LHS REAR OF TUB

TLR791401



SUITED TO:

TOYOTA HILUX N80 2015 TO CURRENT



PRE-INSTALLATION



Read through this installation guide before proceeding.



Fitting time is approx. 30 minutes.



Allen key set
Spanner
Socket Set
Drill & drill set

FITTING KIT

QUANTITY	PART
1	TLR791401
1	Battery Hold Down Clamp Kit
1	TLR810004 - Midi Fuse Bracket
4	M8 x 30 mm Hex Head Bolt
4	M8 x 20 mm Flat Washer
4	M8 Nyloc Nut
4	M6 x 20 mm Button Head Socket
4	M6 Flat Washer
4	M6 Spring Washer
4	M6 Cage Nut
2	M6 x 20 mm Hex Head Bolt
2	M6 Nyloc Nut

NOTE:


This TLR Products Battery Box is to suit a Toyota Hilux N80 series 2015-current, designed to mount into the rear left-hand side of the OEM tub (behind the wheel arch)

Accommodates up to most 120AH batteries.



FITTING INSTRUCTIONS


1. If your vehicle has a tub liner, you will need to trim the liner to suit the Battery Box. This will require you to place the box into position mark around the box and trim liner to suit.
2. Locate Battery Box 270 mm from rear lip in tub. **Photo 1**
3. With the lid removed mark all four holes to be drilled in the tub with a marker pen.
4. Remove Battery Box, drill marked holes in tub using 8.5 mm drill bit. Paint and rust protect with suitable product.
5. Refit Battery Box to tub.
6. In the holes drilled in step 4, use 4 M8 x 30 mm hex bolts flat washers and nyloc nuts to secure the box.
7. We have supplied a fuse bracket to mount 2 MIDI fuse holders to the battery clamp using 2 x M6 hex bolts and Nyloc nuts.



[instagram.com/tlrproducts](https://www.instagram.com/tlrproducts)
[facebook.com/tlrproducts](https://www.facebook.com/tlrproducts)



hello@tlrproducts.com.au
www.tlrproducts.com.au



TLR Products
65 Northville Drive
Barnsley NSW 2278