



BATTERY BOX LHS REAR OF TUB

TLR794601



SUITED TO:

MITSUBISHI TRITON MR SERIES



PRE-INSTALLATION



Read through this installation guide before proceeding.



Fitting time is approx. 30 minutes.



Allen key set
Spanner
Socket Set
Drill & drill set

FITTING KIT


QUANTITY	PART
1	TLR791401
1	TLR794601-1 Bracing Plate
1	Battery Hold Down Clamp Kit
1	TLR810004 - Midi Fuse Bracket
4	M8 x 30 mm Hex Head Bolt
4	M8 x 20 mm Flat Washer
4	M8 Nyloc Nut
4	M6 x 20 mm Button Head Socket
4	M6 Flat Washer
4	M6 Spring Washer
4	M6 Cage Nut
2	M6 x 20 mm Hex Head
2	M6 Nyloc Nut

NOTE:

This TLR Products Battery Box designed to suit the rear left-hand side corner of the OEM tub on a Mitsubishi Triton MR series 2017 – current

Ute liner will need to be modified or removed for fitment.


Accommodates up to most 120AH batteries.





FITTING INSTRUCTIONS

1. If your vehicle has a tub liner you will need to trim the liner to suit the Battery Box. This will require you to place the box into position mark around the box and trim liner to suit.
2. Locate battery box 260 mm from rear lip in tub. **Photo 1**
3. With the lid removed mark all four holes to be drilled in the tub with a marker pen.
4. Remove Battery Box from location, drill marked holes using 8.5 mm drill bit
Note: Paint and rust protect with suitable product.
5. Place Battery Box into location.
6. In the holes drilled in “step 4” use 4 x M8 x 30 mm Hex Head Bolts, Flat Washers, Nyloc Nuts and Bracing Plates to secure the box. Refer to **photo 2**
7. We have supplied a Fuse Bracket to mount 2 MIDI Fuse Holders to the battery clamp using 2 x M6 Hex Head Bolts and Nyloc Nuts.



[instagram.com/tlrproducts](https://www.instagram.com/tlrproducts)
[facebook.com/tlrproducts](https://www.facebook.com/tlrproducts)



hello@tlrproducts.com.au
www.tlrproducts.com.au



TLR Products
65 Northville Drive
Barnsley NSW 2278