



UHF MIC/PHONE MOUNT PASSENGER SIDE GRAB HANDLE

TLR745103



SUITED TO:

GWM TANK 300



PRE-INSTALLATION



Read through this installation guide before proceeding.



Fitting time is approx. 30 minutes.



Allen key set, 12mm drill bit, screwdriver, trim removal tool, masking tape

FITTING KIT	
QUANTITY	PART
1	TLR745103 – Mounting Bracket




NOTE:

This UHF Mic / Phone Mounting Bracket is designed to mount to the Passenger Side Grab Handle area located above the glove box. There are mounting holes to accommodate the Standard AMPS pattern for quad lock and RAM mount, along with holes to suit most UHF base plates



FITTING INSTRUCTIONS


1. Install the chosen attachment to the TLR Products mount, See *Photo's on previous page for example.*
 2. Remove the Torx Bolt *shown in Photo 1.*
 3. Place Assembled TLR Mount in position and re-install previously remove bolt to finalise installation. See *Photo 2.*
- NOTE: Ensure not to overtighten, we recommend using hand tools.*



[instagram.com/tlrproducts](https://www.instagram.com/tlrproducts)
[facebook.com/tlrproducts](https://www.facebook.com/tlrproducts)



hello@tlrproducts.com.au
www.tlrproducts.com.au



TLR Products
65 Northville Drive
Barnsley NSW 2278