




FIRE EXTINGUISHER MOUNT RIGHT-HAND SIDE

TLR661201



SUITED TO:

**TOYOTA LANDCRUISER 79 SERIES
DUAL CAB**



PRE-INSTALLATION



Read through this installation guide before proceeding.



Fitting time is approx. 10 minutes.



Socket Set
Spanner

FITTING KIT	
QUANTITY	PART
1	TLR661201 -1 – Fire Extinguisher Mount
1	TLR661201-2 – Plastic Spacer



NOTE:
This TLR Products Fire Extinguisher Bracket fits to the OEM mounting bolts on the side of the right-hand side front seat.

This mount accommodates most standard 1kg fire extinguishers and also includes mounting provisions for Quick-Fist Mounts or Fire One mounting clips.

If your vehicle is fitted with “Consoles Premium front speaker pods with door pocket” only the Fire Stryker and Fire-one Extinguishers will fit.



FITTING INSTRUCTIONS

1. Mount the Fire Extinguisher of choice to the TLR Products Bracket prior to installation, **See example image on previous page**
2. Remove the plastic cover located on the right-hand rear mounting leg. **See Photo 1**
3. Remove both right-hand side seat mounting bolts shown in both **Photo 1 and 2**.
4. Place supplied plastic spacer in the front of the seat rail referenced in **photo 2** and position mounting bracket over both mounting points.
5. Refit the seat mounting bolts to complete installation.



hello@tlrproducts.com.au
www.tlrproducts.com.au



instagram.com/tlrproducts
facebook.com/tlrproducts