



FIRE EXTINGUISHER MOUNT LEFT-HAND SIDE

TLR661202



SUITED TO:

**TOYOTA LANDCRUISER 79 SERIES
DUAL CAB**



PRE-INSTALLATION



Read through this installation guide before proceeding.



Fitting time is approx. 10 minutes.



Socket Set
Spanner

FITTING KIT

QUANTITY	PART
1	TLR661202 -1 – Fire Extinguisher Mount
1	TLR661201-2 – Plastic Spacer



NOTE:

This TLR Products Fire Extinguisher Bracket fits to the OEM mounting bolts on the side of the left-hand side front seat.


This mount accommodates most standard 1kg fire extinguishers and also includes mounting provisions for Quick-Fist Mounts or Fire One mounting clips.

If your vehicle is fitted with “**Consoles Premium** front speaker pods with door pocket” only the Fire Stryker and Fire-one Extinguishers will fit.



FITTING INSTRUCTIONS

1. Mount the Fire Extinguisher of choice to the TLR Products Bracket prior to installation, See example image on previous page
2. Remove the plastic cover located on the left-hand rear mounting leg. See Photo 1
3. Remove Both left-hand side seat mounting bolts shown in both Photo 1 and 2.
4. Place supplied plastic spacer in the front of the seat rail referenced In photo 2 and position mounting bracket over both mounting points.
5. Refit the seat mounting bolts to complete installation.



hello@tlrproducts.com.au
www.tlrproducts.com.au



instagram.com/tlrproducts
facebook.com/tlrproducts