




---

# ELECTRICAL ACCESSORY BRACKET

---

TLR814803



SUITED TO:

**ISUZU DMAX RG / MUX RJ / MAZDA  
BT50 TF Series**



## PRE-INSTALLATION



Read through this installation guide before proceeding.




Fitting time is approx. 10 minutes.



Spanner  
Socket Set  
Phillips Head  
Screwdriver

### FITTING KIT

QUANTITY	PART
1	TLR814803-1 – Electrical Accessory Bracket




### NOTE:

This TLR Products Bracket provides mounting hole locations for various configurations of midi fuse holders, circuit breakers, buzz bars and relays.



## FITTING INSTRUCTIONS

1. Decide on which components and orientation you will use and assemble components onto TLR Products Bracket.  
**NOTE: Double check clearances before connecting power and tightening fixings.**
2. Remove OEM bolts holding the OEM battery strap down. See **Photo 1**.
3. Place TLR Products Bracket over the top of the OEM battery, align with the mounting holes and install previously removed bolts to secure back in place.



[instagram.com/tlrproducts](https://www.instagram.com/tlrproducts)  
[facebook.com/tlrproducts](https://www.facebook.com/tlrproducts)



[hello@tlrproducts.com.au](mailto:hello@tlrproducts.com.au)  
[www.tlrproducts.com.au](http://www.tlrproducts.com.au)